

RiteWay offers a signature court crack repair system that stands in a league of its own. The RiteWay Crack Repair System is a patented system that uses a MicroSealant technology to repair existing court cracks. **Guaranteed Crack Repair.**

← Properly Prepared Crack

RiteWay Crack Repair System:

1.



↑ Applying RiteWay
MicroSealant Tape

2.



↑ Applying RiteWay
Stress Mat

3.



↑ Applying RiteWay
Bonding Edge

Stress Mat and Bonding Edge are Adhered with Latex and Acrylic Binding Formula.



Finished Repair Ready
for Color Coating.

Materials Made in the USA
www.RiteWayTennis.com
1-877-5-RiteWay





Fix Your Cracks — “Do it the RiteWay”

To ensure that you are getting the best crack repair system, include the following bid specifications:

1. Clean out crack making it free of dirt and other debris.
2. Crack to be filled from bottom to top with court patch binder or cement and let dry.
3. Filled crack must be scraped or buffed flush with court and cleaned, broomed and blown.
4. Area to be repaired must be DRY and at 60°F and up to 100°F.
5. Apply RiteWay Crack Repair System, centering the first layer RiteWay MicroSealant™ tape over filled crack. This flexible adhesive layer is key to the system. “Slip sheet” systems are not equivalent.
6. Apply Liquid Acrylic and Latex binding formula (50/50) over MicroSealant™ tape. Apply second layer 20” stress mat centered over first layer saturating with binding formula.
7. Apply binding edge, the third layer of the RiteWay Crack Repair System, centered over stress mat edge. Let dry.
8. When dry, apply a minimum of two coats of acrylic resurfacer with sand lengthwise over crack repair.
9. The courts are ready to be color coated and striped.

www.RiteWayTennis.com

No Dead Spots • No Hollow Sounds • No Bubbling

Fix your problem cracked courts.

“Do it the *RiteWay*.”




RiteWay Tennis Products • 4 Sycamore Way • Branford, CT 06405 • 1-877-5-RiteWay

Cut Sheet

1. #4 = Base
2. #8 & 10 = Filled Crack
3. #12 & 14 = MicroSealant Tape
4. #18, 20 & 22 = Stress Matt 20"
5. #24A & B = Bonding Edge 9.5"

RiteWay WebSeal utilizes advanced MicroSealant™ Technology, a 100% solids formulation of synthetic resins, thermoplastics and non-curing rubber (non-butyl) with a built-in primer, bonded to a woven polyester backing for maximum comfortability.

Designed NOT to harden under even the most rigorous conditions. Sag temperature >200° F. Adhesive is protected (while in a roll) by a tough, easily removed siliconized release liner, which prevents contaminations prior to its use. All materials are prefabricated to provide uniform thickness.



Technical Data

Total Thickness	*****	30 Mils (1mm)
Adhesion	*****	19 lbs/in width
Low-Temp Flexibility	*****	Excellent
Temperature	*****	-70°F - <200° F
Pliability	*****	No membrane cracks
Water Vapor Test (ASTME 96B)		.005 grms/100" sq./24hours/100°
Permanence	*****	.001 perms maximum
Elongation	*****	>500%
Application Temperature	*****	>150°F to 20°F


Tennis...anyone?

The cracks in this court were repaired using traditional methods.

If you can't afford to do it right... can you afford to do it again?

You've heard *that* before, but here at [INSERT COMPANY NAME], it's not just a catchy rhyme, it's our mantra. Traditional crack repair methods can leave unsightly patches that don't last—resulting in frequent and costly repairs. Tennis court cracks expand and contract with changes in temperature, freezing and thawing and with use. To insure a long-lasting, durable and seamless repair, we use the RiteWay Crack Repair System.

RiteWay is a layered system that becomes an integral part of the tennis court and results in an invisible repair which is not effected by weather or temperature. The installation is so




unique that many tennis court owners can't believe its proven success until they see it for themselves.

The RiteWay System utilizes a micro-technology that allows the existing cracks in your court to move without breaking the repair. It not only keeps cracks from coming back, but it eliminates dead spots, hollow sounds and bubbling common with other systems.

RiteWay A durable system in a league of its own. *Crack Repair System*



RiteWay Crack Repair System: Laying down micro sealant tape and stress mat.



RiteWay Crack Repair System: Finished repair.

No Hollow-Sounding Areas. No Dead Spots. No Bubbling. A True Bounce. Guaranteed.

We've seen the other systems on the market, but no other overlay system can give you the RiteWay results or guarantee. A RiteWay repair comes with a 2-year conditional warranty and is priced 50 to 75% below the cost of reconstruction.

RiteWay will keep your court looking new and playing safe year after year.

Works well on these surfaces:

- Tennis
- Basketball
- Volleyball
- Handball
- Inline Hockey
- Pickleball

[COMPANY LOGO]
[CONTACT INFO.]

[TAG LINE]